EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	0	(correlator and fifo and memory and comparator and bit and section and frequency and (shift adj register)).clm.	USPAT	OR	ON	2006/07/07 13:55
L8	2	6 and correlator and (fifo memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:54
L7	9	6 and correlator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:53
L6	39	4 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:53
L5	9	(molev-shteiman near arkadi).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:53
L4	39	(gunzelmann near bertram).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:53
L3	53	1 AND 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:53
L2	229	((((((split$5 or divid$5 or section$5) with sequence) and gps) and (memory or buffer or storage or ram or rom or register)) and correlat$5) and frequency and $5mhz)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:53
S80	72	((((((split$5 or divid$5 or section$5) with sequence) and gps) and (memory or buffer or storage or ram or rom or register)) and correlat$5) and frequency and $5mhz) and 375/130-377.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:52

EAST Search History

L1	6019	375/150,147,151,130,136,343,316, 152.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:52
S169	1	"4550414".PN.	USPAT; USOCR	OR	ON	2006/04/25 15:16
S168	2	S167 and sampl$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:09
S167	2	("5590160").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/25 15:08
S166	99	S161 and S165	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:08
S165	514	S159 with correlat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:04
S164	1040	S159 same correlat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:04
S163	1	"5081645".PN.	USPAT; USOCR	OR	ON	2006/04/25 15:01
S162	48	S160 and S161	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:55
S161	14587859	@ad<"19961202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:55

S16 0	284	S158 and S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:54
S15 9	21192	oversampl$4 over-sampl$4 (over adj sampl$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:54
S15 8	5494	parallel with correlat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:54
S15 7	34	correlat$4 and S156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 15:49
S15 6	173	S154 and S155	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 15:49
S15 5	14587599	@ad<"19961202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 15:49
S15 4	915	nyquist same adc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 15:49
S15 3	4	(("6614835") or ("6643344")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 22:22
S15 2	16	S151 and S150	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 22:22

S15 1	16	(((shift near register) and memory and correlat$6) and 375/150.ccls.) and ((over near sampling) or oversampling)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 22:20
S15 0	5453	375/150,147,151,130,136,343,316,152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 22:20
S14 9	2	shift$4 and S148	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 22:20
S14 8	4	(("5719900") or ("5590160")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 22:07
S12 6	228	S125 and @pd <= "19990101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 22:06
S14 7	17	S120 and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:38
S14 6	172	S123 and motorola.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:37
S13 2	138	S120 and S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:37
S14 5	40	S144 and @pd <= "19990101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:27

S14 4	227	S120 and S143	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:27
S14 3	1131	((over-sampling oversampling) same correlat$4) S141	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:27
S14 2	7982	(over-sampling oversampling) S141	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:27
S14 0	232	S139 and @pd <= "19990101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:27
S13 0	1	(over-sampling oversampling) and S127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:27
S14 1	680	correlat$4 same (higher near rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:26
S13 9	659	S138 same correlat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:20
S13 8	23561	((sequence pn) with (section divid$4 group split$5)) same (stor$4 memory ram rom register buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:20
S13 6	22944	(sequence with (section divid$4 group split$5)) same (stor$4 memory ram rom register buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:20

S13 5	362	(flexible adaptive) near correlat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:20
S13 7	39	S135 and S136	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:18
S13 1	4403	(sequence with (section divid$4 group split$5) with (two "2")) same (stor$4 memory ram rom register buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:18
S13 4	34	S120 and S133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:17
S13 3	950	(sequence with (section divid$4 group split$5) with (two "2") with (samples signal)) same (stor$4 memory ram rom register buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:12
S12 3	22944	(sequence with (section divid$4 group split$5)) same (stor$4 memory ram rom register buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 20:08
S12 9	0	over and S127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 19:58
S12 8	0	over and S127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 19:57
S12 7	2	("5748144").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 19:57

S12 5	644	S120 and S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 19:39
S12 4	4421	S120 and S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 19:39
S12 2	109963	(sequence with (section divid$4 group split$5)) and (stor$4 memory ram rom register buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 19:39
S12 1	3046	S119 and S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 19:39
S12 0	70494	pn (spreading near sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 19:39
S11 9	53177	(sequence with (section divid$4 split$5)) and (stor$4 memory ram rom register buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 19:39
S11 8	9	nyquist and correlat$4 and S117	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 14:29
S11 7	106	cdma and S116	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 14:29
S11 6	589	(oversampl$6 (over near2 sampl$5)) with correlat$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 14:22
S11 5	1	(oversampl$6 (over near2 sampl$5)) and S114	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 14:22
S11 4	2	S113 and correlat$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 13:54

S11 3	2	("6363105").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 13:54
S11 2	0	S111 and correlat$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 13:54
S11 1	2	("6226322").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 13:53
S11 0	2	("6237014").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 17:25
S10 9	11	("4785463" | "5398034" | "5414729" | "5495499" | "5724046" | "5734674" | "5815539" | "5910948" | "6078611" | "6188679" | "6289040").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/01 17:25
S10 8	4	(("6614835") or ("6643344")).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 17:00
S10 7	0	("6532255").URPN.	USPAT	OR	OFF	2005/03/01 16:59
S10 6	1	("6084927").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/01 16:58
S10 5	2	("6532255").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:57
S10 4	30	(((over near2 sampling) or oversampl$4) with correlat$4) and (sequence with (section divid$4 split$5)) and (stor$4 memory ram rom register buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:57
S10 3	60	(memory or buffer or storage or ram or rom or register) and (parallel with correlat$6) and (sliding near correlat$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 21:39

EAST Search History

S96	1007	(memory or buffer or storage or ram or rom or register) and (parallel with correlat$6) and (correlat$6 near6 (code or sequence))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 21:39
S10 2	543	sliding near correlat$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/14 21:38
S10 1	1	(("6151353").PN.) and correlat$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/14 20:45
S10 0	2	("6151353").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/14 20:45
S99	45	(receiv$5 with stor$4 with sequence) and (((memory or buffer or storage or ram or rom or register) same (correlat$6 near6 (code or sequence))) same (parallel with correlat$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 20:23
S98	235	((memory or buffer or storage or ram or rom or register) same (correlat$6 near6 (code or sequence))) same (parallel with correlat$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 20:22
S97	540	((memory or buffer or storage or ram or rom or register) same (correlat$6 near6 (code or sequence))) and (parallel with correlat$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 20:22
S93	368	(received with stored with sequence) same (correlat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 20:22
S95	21250	correlat$6 near6 (code or sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/14 20:21
S85	2932	(memory or buffer or storage or ram or rom or register) and (parallel with correlat$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 20:21

EAST Search History

S94	56	((received with stored with sequence) same (correlat$5)) and gps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 20:20
S92	0	"20040028008".URPN.	USPAT	OR	OFF	2004/07/14 20:14
S91	5	(received with stored with sequence) same (parallel with correlat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 20:14
S90	68	(((memory or buffer or storage or ram or rom or register) and (parallel near6 correlat$6)) and gps) and (sequence with (split$6 or divid$6 or section$6 or group$6 or portion$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 20:13
S89	49	(((memory or buffer or storage or ram or rom or register) and (parallel near6 correlat$6)) and gps) and (sequence with (split$6 or divid$6 or section$6 or group$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 20:10
S88	253	(((memory or buffer or storage or ram or rom or register) and (parallel near6 correlat$6)) and gps) and sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 20:09
S87	319	((memory or buffer or storage or ram or rom or register) and (parallel near6 correlat$6)) and gps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 20:08
S86	1768	(memory or buffer or storage or ram or rom or register) and (parallel near6 correlat$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 20:08
S76	1539	(((split$5 or divid$5 or section$5) with sequence) and gps) and (memory or buffer or storage or ram or rom or register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 20:08
S84	34	((sequence near sequence) with correlat$6) same (memory or buffer or storage or ram or rom or register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:57

S83	238	(sequence near sequence) with correlat$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:57
S69	101	((("32" near "32") and gps) and correlat$7) and (memory or buffer or storage or ram or rom or register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:57
S82	47	((((split$5 or divid$5 or section$5) with sequence) and gps) and ((memory or buffer or storage or ram or rom or register) with correlat$6)) and 375/130-377.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:56
S81	101	(((split$5 or divid$5 or section$5) with sequence) and gps) and ((memory or buffer or storage or ram or rom or register) with correlat$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:45
S79	154	(((((split$5 or divid$5 or section$5) with sequence) and gps) and (memory or buffer or storage or ram or rom or register)) and correlat$5) and frequency and $5mhz	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:42
S78	154	(((((split$5 or divid$5 or section$5) with sequence) and gps) and (memory or buffer or storage or ram or rom or register)) and correlat$5) and frequency and $3mhz	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:42
S77	947	((((split$5 or divid$5 or section$5) with sequence) and gps) and (memory or buffer or storage or ram or rom or register)) and correlat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:42
S75	1702	((split$5 or divid$5 or section$5) with sequence) and gps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:41
S74	3	(("32" with (gold or kasami)) and gps) and "1024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:40

S73	63	("32" with (gold or kasami)) and gps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:40
S71	74	"1024" and ("32" with (gold or kasami))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:40
S72	0	("1024" and ("32" with (gold or kasami))) and gps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/14 19:39
S70	39	(((("32" near "32") and gps) and correlat$7) and (memory or buffer or storage or ram or rom or register)) and "1024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:38
S68	107	(("32" near "32") and gps) and correlat$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:31
S67	216	("32" near "32") and gps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:31
S66	91	(buffer or memory or fifo or register) and ((((("32" near mhz) or $3mhz) and "1024" and (correlat$4 with frequency)) and gps)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 19:30
S65	45	((buffer or memory or fifo or register) and ((((("32" near mhz) or $3mhz) and "1024" and (correlat$4 with frequency)) and gps)) and gold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 17:14
S64	94	((("32" near mhz) or $3mhz) and "1024" and (correlat$4 with frequency)) and gps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 17:13
S63	411	(("32" near mhz) or $3mhz) and "1024" and (correlat$4 with frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 17:13

EAST Search History

S62	0	((correlat$5 with (frequency with (section or part or $4division or component or group or portion))) and (spread near spectrum) and 375/130-377.ccls.) and (("32" near mhz) and "1024")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 17:12
S61	278	("32" near mhz) and "1024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 17:12
S60	316	(correlat$5 with (frequency with (section or part or $4division or component or group or portion))) and (spread near spectrum) and 375/130-377.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 17:05
S59	316	(correlat$5 with (frequency with (section or part or $4division or component or group or portion))) and (spread near spectrum) and 375/130-377.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 17:05
S58	331	(correlat$5 with (frequency with (section or part or $4division or component or group or portion))) and pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 16:21
S56	4752	correlat$5 with (frequency with (section or part or $4division or component or group or portion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 16:21
S57	737	375/130-377.ccls. and (correlat$5 with (frequency with (section or part or $4division or component or group or portion)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 16:13
S55	1403	(correlat$5 same (frequency with (section or part or $4division or component or group or portion))) and 375/130-377.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 16:13
S54	51445	375/130-377.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 16:13

S53	8707	correlat$5 same (frequency with (section or part or $4division or component or group or portion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 16:13
S1	2	"20010030994"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/14 16:09
S52	35	code same "1024" same "32" same sequence	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:13
S51	1	gold same code same "1024" same "32" same sequence	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:13
S50	0	gold with code with "1024" with "32"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:12
S49	47	("1024" and "32" and (375/150.ccls. or 375/343.ccls.)) and (memory or ram or rom)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:12
S48	65	"1024" and "32" and (375/150.ccls. or 375/343.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:05
S47	63	(gps and "32" and (375/150.ccls. or 375/343.ccls.)) and (memory or ram or rom)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:05
S37	8566	("32" near bit) with (memory or ram or rom)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:05
S46	106	gps and "32" and (375/150.ccls. or 375/343.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/28 10:48
S44	51	(375/150.ccls. or 375/343.ccls.) and ("32" with (memory or rom or ram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/28 10:48

EAST Search History

S45	36	("4361891" | "4528674" | "4575861" | "4707839" | "4813006" | "4852037" | "4995052" | "5144640" | "5239496" | "5285472" | "5315616" | "5335247" | "5388127" | "5396515" | "5406586" | "5457713" | "5500856" | "5504915" | "5530716" | "5566202" | "5574748" | "5598429" | "5600660" | "5659574" | "5680414" | "5724383" | "5724485" | "5748891" | "5754854" | "5764691" | "5784403" | "5802121" | "5822365" | "5862173" | "6038271" | "6067331").PN.	USPAT	OR	OFF	2004/01/28 10:29
S43	2	((375/150.ccls. or 375/343.ccls.) and ("32" with (memory or rom or ram))) and (gold with code)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/28 10:26
S41	9	(375/150.ccls. or 375/343.ccls.) and (("32" near bit) with (memory or ram or rom))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/28 10:25
S42	12	("4527278" | "5090028" | "5426665" | "5579338" | "5663734" | "5727018" | "5901171" | "5931893" | "5966402" | "6005899" | "6289041" | "6370208").PN.	USPAT	OR	OFF	2004/01/28 10:18
S40	1149	375/150.ccls. or 375/343.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/28 10:15
S39	624	375/343.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/28 10:15
S38	627	375/150.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/28 10:15
S36	34	375/150.ccls. and ((memory or ram or rom) same sampling)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/28 10:15
S28	621	375/343.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/28 10:15

EAST Search History

S5	623	375/150.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/28 10:15
S35	6	375/150.ccls. and ((memory or ram or rom) same ((over near sampling) or oversampling))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/27 10:53
S34	6	375/150.ccls. and (memory same ((over near sampling) or oversampling))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/27 10:53
S33	11	((shift near register) same (memory or rom or ram) same ((over near sampling) or oversampling)) and correlat$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/27 10:44
S32	0	((shift near register) same (memory or rom or ram) same ((over near sampling) or oversampling)) and 375/150.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/27 10:44
S31	623	375/150.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/27 10:44
S30	41	(shift near register) same (memory or rom or ram) same ((over near sampling) or oversampling)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/27 10:43
S29	9	375/343.ccls. and (((signal or sequence) with memory)) and ((over near sampling) or oversampling)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 15:23
S24	12	(375/150.ccls. and ((signal or sequence) with memory)) and ((over near sampling) or oversampling)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 15:23
S27	10	"6028883".URPN.	USPAT	OR	OFF	2004/01/25 15:17
S26	9	("4426712" | "4894842" | "4910752" | "4998111" | "5329549" | "5420593" | "5448773" | "5781156" | "5872810").PN.	USPAT	OR	OFF	2004/01/25 15:13
S25	2	("5,420,593").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 14:25

EAST Search History

S23	166	375/150.ccls. and ((signal or sequence) with memory)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 14:22
S7	9	(((shift near register) and memory and correlat$6) and 375/150.ccls.) and ((over near sampling) or oversampling)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 14:22
S22	285483	(signal or sequence) with memory	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 14:18
S21	24	"5768306".URPN.	USPAT	OR	OFF	2004/01/25 14:12
S20	13	("4400790" | "4752939" | "4829467" | "4875221" | "5022047" | "5144640" | "5144641" | "5222100" | "5359605" | "5495509" | "5544155" | "5574721" | "5675608").PN.	USPAT	OR	OFF	2004/01/25 14:09
S19	8	(((memory or ram) with received) and (oversampling or (over near sampling))) and 375/150.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 14:01
S18	374	((memory or ram) with received) and (oversampling or (over near sampling))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 14:01
S17	77669	(memory or ram) with received	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 14:00
S14	13	(memory or ram) with received with (oversampling or (over near sampling))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 14:00
S16	4	("5974087" | "6038271" | "6438182" | "6493405").PN.	USPAT	OR	OFF	2004/01/25 13:56
S15	1	375/150.ccls. and ((memory or ram) with received with (oversampling or (over near sampling)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 13:55
S13	6	nec.as. and synchronisation.ti. and spread.ti. and code.ti.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 13:54
S12	683	nec.as. and synchronisation.ti.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 13:45

EAST Search History

S11	0	nec.as. and synchornisation.ti.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 13:45
S10	0	(takayuki near kondo).in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 13:44
S9	8	"2311450"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 13:44
S8	4	(("5414730") or ("5768306")).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 13:43
S6	138	((shift near register) and memory and correlat$6) and 375/150.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 13:42
S4	5684	(shift near register) and memory and correlat$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 13:41
S3	2	("6614835").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/25 13:39
S2	2	("5768306").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/23 16:44